

## MKW COR-INHIB B

MKW COR-INHIB B provides excellent corrosion inhibition for the drill string, tubular goods and downhole tools. It is a water soluble filming amine corrosion inhibitor having oxygen scavenging and biocidal properties. It forms a protective film on metal surfaces to prevent corrosion attack from oxygen, carbon dioxide and hydrogen sulphide.

### Typical Physical Properties

Common Name	Quaternary Ammonium Compound	Chemical Formula	Blend
Appearance	Clear Light Yellowish Liquid	Solubility in Water @ 25 °C	Soluble
Specific Gravity	0.98 - 1.10	pH	6.0 - 8.0
Viscosity @ 20 °C	> 1000 mPa.s	Flash Point	> 149 °F (> 65 °C)

### Application

MKW COR-INHIB B is primarily designed for use in completion and workover brines but may also be used in drilling fluids.

### Recommended Handling

All personnel handling this material must handle it as an industrial chemical, wearing protective equipment and observing the precautions as described in the Material Safety Data Sheet (MSDS).

### Packaging and Storage

Packed in 55 USG Steel drum.

Store in dry, well-ventilated area. Keep container closed. Keep away from heat, sparks and flames. Store away from incompatibles. Follow safe warehousing practices regarding palletizing, banding, shrink-wrapping and /or stacking.

This document is supplied solely for informational purposes and Mykowell makes no guarantees or warranties, either expressed or implied, with respect to the accuracy and use of this data. All product warranties and guarantees shall be governed by the Standard Terms of Sale.



Mykowell Private Limited

Room 906, Xinjianye Building, No.303 Dongfeng East Street,  
Kuiwen District, Weifang City, Shandong, China  
Tel: (86) 536 8263216 | Fax: (86) 536 8291558 | info@mykowell.net